

# The Heart of Outdoor Living

MODULAR MASONRY KITS FOR OUTDOOR LIVING




## **Outdoor Fireplace Kits**

#### THE CONTRACTOR **SERIES**



3 Chimney Extensions



Firebox widths are without Firebrick

#### THE STANDARD **SERIES**

(an upgrade from the Contractor Series)




4 Chimney Extensions Hearth • Risers 18"H • Firebrick

48"

front

47.50

- 51.00 -




Firebox depth is 33° for the Standard Series

#### THE NEW AGE **SERIES**



Zero-Clearance Rated Fireplace when installed with Full Fire Brick



Size / Style	Buckets for Assembly	Buckets for Veneer	Sq. feet of Veneer	LF of Veneer Corners Needed	Firebrick Required	Weight (lbs.)
36" Contractor	4	4	85	26	85 (splits)	1,760
36" Standard	4	5	100	32	85 (splits)	2,800
48" Contractor	5	5	109	26	105 (splits)	2,120
48" Standard	5	6	125	32	105 (splits)	3,100
42" New Age	5	5	105	32	105 (full)	3,180

Note: All finishing specifications are approximate, and do not include waste.

SET TIME: For proper curing, please wait a minimum of 28 days before lighting any fire in pizza ovens, fireplaces and fire pits.

ARCHED LINTEL: All Contractor and Standard fireplaces come standard with an ARCHED lintel. A straight lintel can be purchased upon request.

SEE-THRU: Contractor and Standard Series units can be ordered See-Thru upon request.



Wood Storage Boxes

36"l x 36"t x 33"d arch height 28.25" Straight lintel can be poured upon request



Contractor & Standard every piece adds 6" to overall height

Flue A Extensions >



New Age Flue Extensions: add 8" to overall height (clay insert not included)




◆ Fireplace Opening Height Extensions every piece adds 11 to overall height


High Temp. All Purpose Mortar sold in a 5 gallon bucket, Ready-Mix



## **Outdoor Kitchen Cabinets**




- Angle adaptors for 45 or 90 degree corners
- Pre-cut for Summerset appliances, or custom cut on-site









Available in 24", 36" and 48" widths. All units are 33" deep.







- Patented bracket and panel system makes for easy installation
- Strength and durability of concrete
- 2-foot, 3-foot and 4-foot long panels
- Cabinets weigh approx. 70lbs/linear ft.

### **Outdoor Pizza Ovens**






- Temperatures reach up to 800 degrees!
- Optimum design for heat retention
- Includes enough firebrick to finish the unit




#### **DIMENSIONS**

#### Amerigo Pizza Oven weight: 1,650 lbs. Cooking surface area: 1500 sq. in.




height: 30.75 depth: 42.00 Wood Storage Box Available 44" T x 48" W x 42" D Metal Door included

#### Mezzo Pizza Oven weight: 1,150 lbs. Cooking surface area: 800 sq. in.



height: 24.25 depth: 33.00 Wood Storage Box Available 44" T x 36" W x 33" D Metal Door included

#### Vecchio Pizza Oven weight: 1,100 lbs. Cooking surface area: 670 sq. in.



depth: 42.00 (w/ firebrick) Wood Storage Box Available 44" T x 36" W x 33" D Hearth included

#### Stone Age Brick Oven weight: 1,600 lbs.

Cooking surface area: 670 sq. in.



depth: 42.00 (w/ firebrick) Wood Storage Box Available Hearth included

### **Outdoor Fire Pit Kits**




Finished **Short Round** 

> Assembled Large Round Kit 🕨





- Simple Installation
- Veneer the same day as install
- Manufactured with refractory cement and reinforced with steel re-bar
- Easily converted to be fitted with a gas burner

#### **DIMENSIONS**









Stocking yards in Connecticut, Massachusetts and West Virginia.